Contents

Full Papers

Bonnin, A., Fernández-Ruiz, J. J., Martin, M., Rodríguez de Fonseca, F., Hernández, M. L., Ramos, J. A.: δ^9-Tetrahydrocannabinol affects mesolimbic dopaminergic activity in the female rat brain: interactions with estrogens 81

Cipolla-Neto, J., Abdalla, D. S. P., Markus, R. P., Campa, A.: Circadian variations of superoxide dismutase activity in the rat pineal gland 117

Doyle, E., Regan, C. M.: Cholinergic and dopaminergic agents which inhibit a passive avoidance response attenuate the paradigm-specific increases in NCAM sialylation state 33

Kaminski, D., Weiner, N., Sturm, G., Wesemann, W.: Modulation of serotonin binding sites in the brain of the Djungarian hamster, *Phodopus sungorus*, during adaptation to a short photoperiod 159

Kondo, Y., Ogawa, N., Asanuma, M., Hirata, H., Tanaka, K., Kawada, Y., Mori, A.: Regional changes in neuropeptide levels after 5,7-dihydroxytryptamine-induced serotonin depletion in the rat brain 151

Kujacic, M., Carlsson, A.: Evidence for an increased catecholamine synthesis in rat adrenal glands following stimulation of peripheral dopamine receptors . 73

Minami, M., Maruyama, W., Dostert, P., Nagatsu, T., Naoi, M.: Inhibition of type A and B monoamine oxidase by 6,7-dihydroxy-1,2,3,4-tetrahydroisoquinolines and their N-methylated derivatives 125

Monteleone, P., Maj, M., Franza, F., Fusco, R., Kemali, D.: The human pineal gland responds to stress-induced sympathetic activation in the second half of the dark phase: preliminary evidence 25

Muck-Šeler, D., Peričić, D.: Possible antidepressant dihydroergosine preferentially binds to 5-HT_{1B} receptor sites in the rat hippocampus 1

Müller, Th., Kuhn, W., Przuntek, H.: Therapy with central active catechol-O-methyltransferase (COMT)-inhibitors: is addition of monoamine oxidase (MAO)-inhibitors necessary to slow progress of neurodegenerative disorders? 187

Nagasawa, H., Araki, T., Kogure, K.: Alteration of protein kinase C activity in the postischemic rat brain areas using in vitro [^{3}H]phorbol 12,13-dibutyrate autoradiography 107

Ohmori, T., Koyama, T., Muraki, A., Yamashita, I.: Competitive and noncompetitive N-methyl-D-aspartate antagonists protect dopaminergic and serotonergic neurotoxicity produced by methamphetamine in various brain regions 97

Pivac, N., Peričić, D.: Inhibitory effect of diazepam on the activity of the hypothalamic-pituitary-adrenal axis in female rats 173

Poncet, L., Denoroy, L., Jouvet, M.: Daily variations in vivo tryptophan hydroxylation and in the contents of serotonin and 5-hydroxyindoleacetic acid in discrete brain areas of the rat 137

Steckler, T., Rüggeberg-Schmidt, K., Müller-Oerlinghausen, B.: Human platelet 5-HT_2 receptor binding sites re-evaluated: a criticism of recurrent techniques 11

Short Communications

Kornhuber, J., Weller, M.: Amantadine and the glutamate hypothesis of schizophrenia. Experiences in the treatment of neuroleptic malignant syndrome . . 57

Mantelli, L., Amerini, S., Rubino, A., Ledda, F.: Pertussis toxin does not affect the adenosine-induced inhibition of the efferent function of cardiac capsaicin-sensitive nerves 51

Rapid Communications

Gattaz, W. F., Emrich, A., Behrens, S.: Vitamin E attenuates the development of haloperidol-induced dopaminergic hypersensitivity in rats: possible implications for tardive dyskinesia 197
Läer, S., Block, F., Huether, G., Heim, C., Sontag, K.-H.: Effect of transient reduction of cerebral blood flow in normotensive rats on striatal dopamine-release . . 203
Nilsson, C. L., Eriksson, E.: Haloperidol increases prolactin release and cyclic AMP formation in vitro: inverse agonism at dopamine D2 receptors? 213

Abstracted/Indexed in:
Current Contents,
SCI, ASCA, and ISI/BIOMED, Biosis,
Current Awareness in Biological Sciences,
Reference Update, Index Medicus,
Excerpta Medica/Electronic Publishing Division